

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1153	380/277.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/30 14:10
L2	570	I1 and (key with (id or index or hash))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/30 14:24
L3	2	I2 and "encryption key identification".clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/30 14:30
L4	1	I2 and (stor\$5 near5 "encryption key identification").clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/30 14:31
L5	65	I2 and (stor\$5 with (key near5 (identification or id or index))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/30 14:32
L6	64	I5 not I4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/30 14:32
L7	7	I6 and hash\$5.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/30 14:33
S1	2	"20040205330"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 13:42
S2	4	(compress\$5 with (secure near5 email))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 17:42

EAST Search History

S3	9	((mobile near5 device) with (secure near5 email))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 17:43
S4	9	S3 not S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 17:50
S5	0	(receiv\$5 with (encrypted near5 message))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 17:52
S6	208108	wireless with (network or device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 17:53
S7	1004	S6 and (encrypted near5 message) and (session adj1 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 18:19
S8	591	S7 and (compres\$5 or (reduc\$5 near4 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 18:22
S9	493	S8 and (encrypted near5 (session adj1 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 18:22
S10	437	S8 and "encrypted session key"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/21 18:23
S11	22	S8 and ("encrypted session key" with (public adj1 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 09:47
S12	33	(broadcast or (plurality near5 receivers)) and ("encrypted session key" with (public adj1 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 10:25

EAST Search History

S13	13	S12 and (compres\$5 or (reduc\$5 near4 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 09:49
S14	6	(plurality near5 receivers) and ("encrypted session key" with (public adj1 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 10:23
S15	24	((email or e-mail or mail) near5 server) and ("encrypted session key" with (public adj1 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 10:25
S16	24	((email or e-mail or mail) near5 (server or proxy)) and ("encrypted session key" with (public adj1 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 10:31
S17	18	S16 not S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 10:26
S18	72	((email or e-mail or mail or message) near5 (server or proxy)) and ("encrypted session key" with (public adj1 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 10:31
S19	54	S18 not S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 10:31
S20	8	S19 and pgp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 11:06
S21	1	venkatraman.in. and (session adj1 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 11:11
S22	142	713/176.ccls. and (session adj1 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 11:12

EAST Search History

S23	2	S22 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 11:12
S24	265	713/168.ccls. and (session adj1 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 11:17
S25	9	S24 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 11:12
S26	77	713/150.ccls. and (session adj1 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 11:17
S27	17	S26 and ((mobile or wireless) near4 device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 11:19
S28	6	S27 and "encrypted session key"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 11:20
S29	139	(access adj1 point) and (session adj1 key) and (public adj1 key) and receivers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 19:00
S30	68	S29 and (compres\$5 or (reduc\$5 near5 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 19:01
S31	61	S30 and ((identif\$5 or locat\$5 or determin\$5) near5 device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 19:02
S32	9	S31 and (wireless near5 network) and PGP and MIME	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 19:05

EAST Search History

S33	29	S31 and (wireless near5 network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 19:05
S34	20	S33 NOT S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 19:14
S35	15	S34 and ((mail or email or e-mail or message) near3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 19:15
S36	15	S35 and (compress\$5 or (reduc\$5 near5 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 19:25
S37	1	10/634,223	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 19:28
S38	12697	((transmit\$5 or send\$5 or forward\$5) near5 (mobile near5 device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 19:39
S39	85	((transmit\$5 or send\$5 or forward\$5) near5 (correspond\$5 with (mobile near5 device)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 19:29
S40	9	S39 and (compress\$5 or (reduc\$5 near5 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 19:40
S41	264	S38 and ((multiple or plurality or "more than one") near7 receivers). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 19:40
S42	43	S41 and (compress\$5 or (reduc\$5 near5 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 19:40

EAST Search History

S43	3	S41 and (compress\$5 or (reduc\$5 near5 size)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 19:42
S44	40	S42 not S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:25
S45	2	"20040205330"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 08:54
S46	1525	((session or secret) near3 key) and (public adj1 key) and ((wireless or mobile) near2 device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 08:56
S47	588	S46 and ((mail or email or e-mail or message) near3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 08:57
S48	88	S47 and (compress\$5 near5 message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 08:57
S49	7	S48 and ((remov\$5 or delet\$5) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 08:59
S50	12697	((transmit\$5 or send\$5 or forward\$5) near5 (mobile near5 device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 12:40
S51	264	S50 and ((multiple or plurality or "more than one") near7 receivers).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:25
S52	43	S51 and (compress\$5 or (reduc\$5 near5 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:45

EAST Search History

S53	3	S51 and (compress\$5 or (reduc\$5 near5 size)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:25
S54	40	S52 not S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:25
S55	40	S54 and ((transmit\$5 or send\$5 or forward\$5) near5 (mobile near5 device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:26
S56	1	S55 and (session adj1 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:26
S57	6654	((compress\$5 or (reduc\$5 near5 size)) with message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:46
S58	99	S57 and ((encrypt\$5 near5 message) with (session adj1 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:47
S59	94	S58 and (public adj1 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 11:48
S60	47	S58 and (public adj1 key) and PGP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 12:26
S61	2	"20010005857"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 12:33
S62	112	pgp and (public adj1 key) and ((session or secret) adj1 key) and ((compres\$5 or reduc\$5) near5 (message or email or e-mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 12:47

EAST Search History

S63	7	S62 and receivers.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 12:35
S64	115	pgp and mime and (public adj1 key) and ((session or secret) adj1 key) and (message or email or e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 12:40
S65	3	S64 and ((transmit\$5 or send\$5 or forward\$5) near5 ((plurality or multiple or (first and second)) with receivers))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 12:47
S66	753	(public adj1 key) and ((session or secret) adj1 key) and ((compres\$5 or reduc\$5) near5 (message or email or e-mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 12:47
S67	12	S66 and ((transmit\$5 or send\$5 or forward\$5) near5 ((plurality or multiple or (first and second)) with receivers))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 12:50
S68	2	S66 and (secur\$5 near5 dispatch\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 12:53
S69	2	"20030196080"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 13:38
S70	823	Multicast\$5 and ((secret or session) adj1 key) and (public adj1 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 13:39
S71	834	(multi-cast\$5 or multicast\$5) and ((secret or session) adj1 key) and (public adj1 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 13:39
S72	64	(multi-cast\$5 or multicast\$5) same ((secret or session) adj1 key) and (public adj1 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 13:40

EAST Search History

S73	1	S72 and pgp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 14:08
S74	3	S72 and stock	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 13:41
S75	58	S72 and (e-mail or email or message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 14:09
S76	1	S75 and personaliz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 14:10
S77	0	S75 and customiz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 14:10
S78	8	S75 and (remov\$5 near\$5 keys)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 14:13
S79	50	S75 not S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 14:19
S80	9	S79 and compres\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 15:36
S81	0	S79 and (((chang\$5 near7 (multicast\$5 or multi-cast\$5)) with (unicast\$5 or unicast\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 15:38
S82	3	S79 and (((forward\$5 or send\$5 or redirect\$5 or transmit\$5) near7 (multicast\$5 or multi-cast\$5)) with (unicast\$5 or unicast\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 15:42

EAST Search History

S83	79	(chang\$5 near5 (multicast or multi-cast)) with (unicast or uni-cast)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 15:43
S84	38	S83 and (wireless or mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 15:46
S85	1	S83 and (wireless or mobile) and ((public and (session or secret)) adj1 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 19:29
S86	2	"6195751".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 19:31
S87	3	(access adj1 point) and (public adj1 key) and (session adj1 key) and (unicast\$5 with group)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 19:33
S88	0	(wireless adj1 device) and (public adj1 key) and (session adj1 key) and (unicast\$5 with group)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 19:35
S89	2	(wireless adj1 device) and (public adj1 key) and ((secret or session) adj1 key) and (unicast\$5 with group)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 20:04
S90	2	"20040205330"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 20:17
S91	2	"6219694".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 20:17
S92	92	pgp and s/mime and ((wireless or mobile) near3 device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 11:38

EAST Search History

S93	76	S92 and ((send\$5 or transmit\$5 or transfer\$5) near5 (message or email or e-mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 11:39
S94	85	S92 and ((send\$5 or transmit\$5 or transfer\$5) near5 (message or email or e-mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 11:39
S95	16	S94 and multicast\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:04
S96	12	(s/mime same pgp) and multicast\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 15:07
S97	2	"6792111".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 15:07
S98	335754	((stor\$5 and (retriev\$5 or obtain\$5)) near6 (data or content or info))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 13:44
S99	6717	S98 and (search\$5 and key and (index or id) and hash\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 14:06
S10 0	2620	S99 and ((kek) or (encrypt\$5 near6 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 14:07
S10 1	850	S99 and ((kek) or (encrypt\$5 near6 (key near5 (id or index))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 14:08
S10 2	221	S101 and (ic or (smart near4 card) or (security near4 token))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 14:17

EAST Search History

S10 3	198	S101 and (ic or (smart near4 card) or (security near4 token)) and (public near4 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 14:19
S10 4	90	S103 and (expir\$5 near5 key) and (generat\$5 near6 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 14:46
S10 5	2	"20010019614"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 16:15
S10 6	202	((first and second) near5 (database or storage)) and hash\$5 and (stor\$5 near5 (key near5 (index or id)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 16:18
S10 7	23	S106 and (smart near3 card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 16:41
S10 8	2	"5495533".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 17:27
S10 9	23	S107 and (encrypt\$5 near5 (file or content or text or data)) and (key near4 (id or index))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 17:28
S11 0	0	S109 and "encryption key" and ("encryptio key" near5 (index or id))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 17:29
S11 1	2	S109 and "encryption key" and ("encryption key" near5 (index or id))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 17:29
S11 2	1148	"encryption key" and ("encryption key" near5 (index or id))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 17:30

EAST Search History

S11 3	129	S112 and (key near3 database) and (public near3 key) and ((retriev\$5 or obtain\$5) near5 (data or content or info))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 17:31
S11 4	30	S113 and ((smart near3 card) or " ic " or token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 17:32
S11 5	30	S114 not S109	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/30 09:37
S11 6	5798	(encrypt\$5 near5 (header or (key near4 (id or index))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/30 09:37
S11 7	261	S116 and 380/277.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/30 09:37
S11 8	184	S117 and (key near5 (storage or database or server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/30 09:38
S11 9	62	S118 and ((smart near3 card) or ic or (security near3 token))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/30 11:09
S12 0	2	"20020012432"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/30 11:44
S12 1	309	vpn and ((multiple or plurality) near6 firewall)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/30 11:46
S12 2	55	S121 and DMZ	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/30 12:32

EAST Search History

S12 3	3	matyas.in. and (encrypt\$5 near5 (key near3 (index or id)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/30 12:35
S12 4	14	matyas.in. and (encrypt\$5 same (key near3 (index or id)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/30 12:35
S12 5	11	S124 not S123	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/30 14:09